

ANTIQUE TRACTOR

AND OLD IRON TIRES



TITAN MOVES THE WORLD™

TIRES TO COMPLETE THE PACKAGE

HAVING THE RIGHT TIRES CAN GIVE YOUR ANTIQUE TRACTOR THE TRUE-TO-PERIOD LOOK. TITAN TIRE AND GOODYEAR FARM TIRES OFFER THE MOST COMPLETE LINEUP OF TIRES FOR YOUR ANTIQUE TRACTOR. WITH A BROAD RANGE OF SIZES AND STYLES, YOU CAN BE SURE WE HAVE THE TIRE TO MATCH THE MACHINE — WHETHER IT'S A JOHN DEERE, MASSEY, FARMALL®, CASE OR OTHERWISE.



Great size range for antique and older tractors, and open 45 degree lug provides self-cleaning and traction benefits.

TITAN REARS		HIGH TRACTION LUG	HI POWER LUG	FARM TRACTOR	
Tire Size	TT/TL	Catalogue Number	Ply Rating	Design Rim Width in.	Approved Alternate Rim Contour
9.5-24	TL	48D694	6	W8	W7, W8, W8H
11.2-34	TT	470402	4	W10	W10, W9
11.2-36	TT	470406	4	W9	W9
11.2-38	TT, TL, TL	473408, 483408, 483608	4, 4, 6	W10	W10
12.4-36	TT	470616	6	W11	W11
12.4-38	TT, TL	473418, 483818	6, 8	DW11A	W11, DW11A, W10
13.6-38	TT	473628	6	W12	W12, DW12A, W11
13.9-36	TT	470693	6	W12	W12
14.9-28	TT, TL, TT	47D638, 48D638, 483838	6, 6, 8	W13	W12, W13
15.5-38	TT, TT, TT, TT	47D674, 47D874, 473674, 473874	6, 8, 6, 8	W14L	W14L, DW14A

47D/48D = Hi Traction Lug, 473/483 = Hi Power Lug, 470 = Farm Tractor



Penetrates deep into soil for maximum steering control and minimal lateral side-slip because of its high center rib.

TITAN FRONTS		TRU-TRAC	MULTI RIB		
Tire Size	TT/TL	Catalogue Number	Ply Rating	Design Rim Width in.	Approved Alternate Rim Contour
4.00-12SL	TT, TL	461229, 461329	4	3.00D	2.50C
4.00-15SL	TT	461230	4	3.00D	N/A
4.00-19SL	TT	461233	4	3.00D	N/A
5.00-15SL	TT, TL, TL	462235, 462335, 462334	4, 4, 6	3.00D	4J
5.50-16SL	TT, TL, TT	462238, 462338, 462239	4, 4, 6	4.00E	4.25KA, 4.50E
6.00-16SL	TT, TT, TL	462274, 462275, 462375	4, 6, 6	4.00E	4.25KA, 4.50E
6.50-16SL	TT, TL	462281, 462381	6	4.50E	4.00E, 4.25KA, 5.50F
7.50-16SL	TT, TL, TT, TL	462283, 462383, 462284, 466383	6, 6, 8, 6	5.50F	6LB
7.50-18SL	TT, TL, TT	462278	6	5.50F	N/A
7.50-20SL	TL	462393	6	5.50F	6LB

461/462 = Tru-Trac, 466 = Multi Rib



Excellent roadability provided by overlapping center lugs, long wear and durability from its braced lug design, and easy lug cleanability.

GOODYEAR REARS

DURA TORQUE

DYNA TORQUE

Tire Size	TT/TL	Catalogue Number	Ply Rating	Design Rim Width in.	Approved Alternate Rim Contour
9.5-24	TT, TL	47Q694, 4DQ694	6	W8	W7, W8, W8H
11.2-38	TL, TL, TL	4Q2408, 4DQ408, 4DQ608, 4TT408	4, 4, 6, 4	W10	W10
12.4-38	TT	47Q618	6	DW11A	W11, DW11A, W10
13.6-38	TT/TL	47Q428, 4DQ628	4, 6	W12	W12, DW12A, W11
14.9-28	TT/TL	47Q638, 4DQ638	6	W13	W13, W12
15.5-38	TT, TL, TT	47Q674, 47Q874, 427674	6, 8, 6	W14L	W14L, DW14A

47Q/4DQ = Dura Torque, 427 = Dyna Torque II



3 rib design provides strong steering capabilities in loose, cultivated soil. Excellent wear characteristics from the even load distribution on the center and shoulder ribs.

GOODYEAR FRONTS

TRIPLE RIB

FOUR RIB

Tire Size	TT/TL	Catalogue Number	Ply Rating	Design Rim Width in.	Approved Alternate Rim Contour
4.00-15SL	TT	TRR230	4	3.00D	N/A
4.00-19SL	TT	TRR233	4	3.00D	N/A
5.00-15SL	TT, TL	TRR235, TRR335	4	3.00D	4J
5.50-16SL	TT, TL	TRD238, TRD239	4, 6	4.00E	4.25KA, 4.50E
6.00-16SL	TT, TT	TRD274, TRD275	4, 6	4.00E	4.25KA, 4.50E
6.50-16SL	TT, TL	TRD281, TRD381	6, 6	4.50E	4.00E, 4.25KA, 5.50F
7.50-16SL	TT, TL, TT, TT	TRD283, TRD383, TRD284, 44R283	6, 6, 8, 6	5.50F	6LB
7.50-18SL	TT	TRD278	6	5.50F	N/A

TRR = Triple Rib RS, TRD = Triple Rib HD, 44R = Four Rib

FFA TRACTOR RESTORATION PROGRAM

TIRE DONATIONS SUPPORT STUDENT RESTORATION PROJECTS

Titan Tire Corporation is proud to support the Future Farmers of America (FFA) and the restoration of antique tractors. FFA members can register to qualify for a donation of front and rear Titan or Goodyear tractor tires for their antique tractor. In 2014 alone, Titan Tire donated more than 1,000 antique tractor tires for FFA members' restoration projects.



Learn more about the program at Titan-intl.com or by speaking with your local FFA advisor.



NO TIRE WORKS WITHOUT THE WHEEL — THEY ARE A TOTAL SYSTEM

Titan is the only company with the ability to design, test and produce both wheels and tires for agriculture, construction, forestry and mining markets.



1.800.USA-BEAR | www.titan-intl.com

TOUGH. DURABLE. BUILT TO LAST.™

TTGYANTTRAC 010.14A

American Engineered. American Manufactured. American Owned.

© 2014 Titan Tire Corporation, All Rights Reserved. Division of Titan International, Inc. TWI, Quincy, IL

Goodyear is a registered trademark of The Goodyear Tire & Rubber Company. Materials and specifications are subject to change without notice.

